
## THE ROLE OF THE CHURCH


- The Church is the only establishment on earth growing faster than HIV&AIDS is spreading. There are 6,300 new infections every day, but the Church is growing by 115,000 daily (amfar.gov 2012)!
- In nearly every city, town, and village around the globe, there may not be a clinic or post office, but there is a Church.
- HIV is largely a behaviorally-driven disease. The Church has the moral authority to address behavior and offer strategies for risk elimination rather than just risk avoidance.
- The Church is God's answer for the HIV pandemic. We are commanded to care! Jesus gave himself as an example of compassion for the sick. We are his hands, feet, and witnesses of his truth.
- There are six ways every church can care for those living with HIV&AIDS and respond to this pandemic: CHURCH
  - Care for and Support the Sick
  - Handle HIV Testing and Counseling
  - Unleash a Volunteer Labor Force
  - Remove the Stigma
  - **Champion Healthy Behavior**
  - Help with HIV Medications



### WOMEN AND CHILDREN


- Every 2 minutes, a child dies from AIDS.
- More than 16.6 million children under the age of 18 have been orphaned by AIDS. More than 14 million of these children live in Sub-Saharan Africa.
- It's estimated that 34 to 35.9 million people are living with HIV&AIDS around the world—more than 50% of them are women (unaids.org 2012).
- More than 35 million people now live with HIV&AIDS. 3.3 million of them are under the age of 15 (cdc.gov 2012).
- Women are at greater risk of heterosexual transmission of HIV. In many countries, women are not in the position to negotiate the use of protection and are more likely to be subjected to non-consensual sex.
- Today in the United States, about 1 in 4 people living with HIV are women.
- Young women are twice as likely to become infected with HIV as young men.
- Women of color are most affected, with more than 6 in 10 new HIV infections occurring in Black women and Latinas aged 13 to 39.
- Women account for 1 in 5 new HIV diagnoses and deaths caused by AIDS (amfar.org).
- In 2012, an estimated 2.3 million people were newly infected with HIV. 260,000 were under the age of 15 (cdc.gov).
- Worldwide, women constitute more than half of all people living with HIV&AIDS.
- For women in their reproductive years (15 to 49), HIV&AIDS is the leading cause of death (AIDS.gov).





### MEN


- Gay and bisexual men of all races, and heterosexual men of color account for the greatest number of new HIV infections (61%) in the United States (aids.gov 2011).
- Globally, men account for approximately 49% of all those infected with HIV.
- Attitudes, traditions, and values in every culture affect the sexual behavior of males. Men and boys typically have more sexual partners than women and girls.
- On average 38% of men having sex with men have gotten tested in the last 12 months (aids.gov).



## DISCLOSURE AND ADHERENCE


- Every day, nearly 6,300 people contract HIV—nearly 262 every hour and about 5,500 people die from AIDS (unaids.org 2012).
- Globally Voluntary HIV Testing and Counseling (VTC) is one of the most effective strategies a church can promote; everyone should know their HIV status. In the United States, you can find free, confidential HIV testing at hivtest.org.
- Disclosure of HIV status statistically results in emotional health and regularity in treatment adherence due to the support offered from those closest to them.
- Adherence to treatment is critical for the well-being of those who have AIDS. Skipping even one day can have lethal consequences for the person living with the virus due to the mutation of the virus in response to the absence of medications even for hours (2012).





# HIV CURE/TREATMENT


- No cure exists for HIV&AIDS.
- Great accomplishments have been made in creating effective treatment helping many to live longer lives with HIV&AIDS. Treatment often involves multiple daily doses and can have some difficult side effects.
- Adherence to HIV treatment is critical because the HIV virus mutates easily if the medication is not taken properly, resulting in many people developing resistance to their medication. This resistance also leads to people being infected with treatment-resistant stains of HIV.
- HIV&AIDS research has proven that people who are on effective treatment are 96% less likely to transmit the virus.
- More than 50% of the people living with HIV&AIDS who need treatment are receiving it. While this is a huge step forward, there are still nearly half of the people around the world who do not have access to life-saving medications.



## HIVSAIDS IN SUB-SAHARAN AFRICA


- In 2011, 1.7 million people were newly infected with HIV.
- Africa has over 14 million AIDS orphans.
- There are 1.8 million children under 15 living with HIV&AIDS.
- More than two-thirds (70%) of all people living with HIV, 25 million, live in sub-Saharan Africa—including 88% of the world's HIV-positive children (unaids.org 2012).
- In 2012, an estimated 1.6 million people in the region became newly infected (unaids.org).
- An estimated 1.2 million adults and children died of AIDS, accounting for 75% of the world's AIDS deaths in 2012 (unaids.org).
- In sub-Saharan Africa, women constitute 57% of all people living with HIV&AIDS (aids.gov).





## HIV IN ASIA


- In Asia and the Pacific, nearly 351,000 people became newly infected in 2012, bringing the total number of people living with HIV&AIDS there to nearly 5 million. AIDS has claimed an estimated 261,000 lives in the region in 2012 (unaids.org).
- In 2009, China has reported that AIDS has become the #1 leading cause of death among infectious diseases for the first time ever (more than tuberculosis and rabies).
- In India, approximately 2.3 million people are living with HIV. An estimated 39% are female and 3.5% are children.
- HIV prevalence rates are increasing in Bangladesh, Pakistan, and the Philippines.



# HIV IN LATIN AMERICA AND THE CARIBBEAN

- More than 1.6 million people are living with HIV&AIDS (unaids.org 2012).
- The Caribbean has the second highest prevalence of HIV&AIDS in the world (unaids.org 2012).
- Latinos account for an estimated 17% of people living with HIV and 20% of new infections in 2009 (cdc.gov).
- Approximately 12,000 people became newly infected in the Caribbean in 2012, bringing the total number of people living with HIV&AIDS there to more than 250,000. AIDS claimed an estimated 11,000 lives in 2012.





# HOW CAN I SAY YES TO GOD?

### **FACTS**

- HIV&AIDS is the greatest humanitarian crisis in history and God's answer to that crisis is you.
- God commands us to care for the sick, the widow, and the orphan as Jesus did. It is one of your greatest opportunities to step into the most thrilling adventure of your life, loving as Jesus loved, and living as Jesus lived.

"Now glory be to God who by his mighty power at work within us is able to do far more than we would ever dare to ask or even dream of—infinitely beyond our highest prayers, desires, thoughts, or hopes."

Ephesians 3:20 (LB)

• God offers you the chance to courageously surrender to his plan for your life. Giving into God isn't easy. It's the boldest, riskiest step you'll ever take, but it will bring you closer to him than you ever thought possible.

\*NOTE: Statistics from the Centers for Disease Control (CDC) and UNAIDS, The World Christian Encycopedia (Oxford Press, 2000).



